ELSEVIER

Journal of Affective Disorders 30 (1994) 293–295

journal of AFFECTIVE DISORDERS

Author Index

Albert, P., see Heidrich, A. (30) 93

Ballenger, J.C., see Woodman, C.L. (30) 5
Bancroft, J., see Goodwin, G.M. (30) 117
Başoğlu, M., Marks, I.M., Swinson, R.P., Noshirvani, H., O'Sullivan, G. and Kuch, K.
Pre-treatment predictors of treatment outcome in panic disorder and agoraphobia treated with alprazolam and exposure (30) 123
Black, D.W., Wesner, R.B., Gabel, J., Bowers, W. and Monahan, P.
Predictors of short-term treatment response in 66 patients with panic disorder (30) 233
Blazer, D.G., see Kessler, R.C. (30) 15
Bowers, W., see Black, D.W. (30) 233
Boyce, P., see Parker, G. (30) 133
Brodaty, H., see Parker, G. (30) 133
Bromet, E.J., see Fennig, S. (30) 147
Bulik, C.M., see Carter, F.A. (30) 57
Bullock, T., see Kay, G. (30) 185
Burrus-Mehl, F., see Kazes, M. (30) 193

Carter, F.A., Bulik, C.M. and Joyce, P.R.
Direction of weight change in depression (30) 57
Charman, T.
The stability of depressed mood in young adolescents: a school-based survey (30) 109
Cloninger, C.R., see Joyce, P.R. (30) 35

Danion, J.M., see Kazes, M. (30) 193
Deltito, J.A., see Pollack, M.H. (30) 273
Dijken, W.A., see Hoencamp, E. (30) 219
Dinan, T., see Song, C. (30) 283
Dougall, N., see Scott, A.I.F. (30) 27

Ebmeier, K.P., see Scott, A.I.F. (30) 27
Elliott, J.M., see Kay, G. (30) 185

Faltus, F., see Volz, H.-P. (30) 209
Faries, D.E., see Heiligenstein, J.H. (30) 163
Fennig, S., Schwartz, J.E. and Bromet, E.J.
Are diagnostic criteria, time of episode and occupational impairment important determinants of the female:male ratio for major depression? (30) 147
Fritze, J., see Heidrich, A. (30) 93

Gabel, J., see Black, D.W. (30) 233
Gelernter, C.S., see Uhde, T.W. (30) 155
Goldstein, R.B., see Pini, S. (30) 257
Goodwin, G.M., Murray, C.L. and Bancroft, J.
Oral D-Fenfluramine and neuroendocrine challenge: problems with the 30 mg dose in men (30) 117
Goodwin, G.M., see Scott, A.I.F. (30) 27
Grangé, D., see Kazes, M. (30) 193
Grof, P.
Designing long-term clinical trials in affective disorders (30) 243

Hadzi-Pavlovic, D., see Parker, G. (30) 133
Haffmans, P.M.J., see Hoencamp, E. (30) 219
Hanusa, B.H., see Wisner, K.L. (30) 77
Heidrich, A., Schleyer, M., Spingler, H., Albert, P., Knoche, M., Fritze, J. and Lanczik, M.
Postpartum blues: Relationship between not-protein bound steroid hormones in plasma and postpartum mood changes (30) 93
Heiligenstein, J.H., Tollefson, G.D. and Faries, D.E.
Response patterns of depressed outpatients with and without melancholia: a double-blind, placebo-controlled trial of fluoxetine versus placebo (30) 163
Hickie, I., see Parker, G. (30) 133
Hoencamp, E., Haffmans, P.M.J., Dijken, W.A., Hoogduin, C.A.L., Nolen, W.A. and Van Dyck, R.
Brofaromine versus lithium addition to maprotiline. A double-blind study in maprotiline refractory depressed outpatients (30) 219
Hoogduin, C.A.L., see Hoencamp, E. (30) 219
Hughes, M., see Kessler, R.C. (30) 15

Joyce, P.R., Mulder, R.T. and Cloninger, C.R.
Temperament predicts clomipramine and desipramine response in major depression (30) 35
Joyce, P.R., see Carter, F.A. (30) 57

Katsikitis, M., see Pilowsky, I. (30) 61
Kay, G., Sargeant, M., McGuffin, P., Whatley, S., Marchbanks, R., Bullock, T., Montgomery, S. and Elliott, J.M.
The lymphoblast β-adrenergic receptor in bipolar depressed patients: effect of chronic incubation with lithium chloride (30) 185
Kazes, M., Danion, J.M., Grangé, D., Pradignac, A., Simon, Ch., Burrus-Mehl, F., Schlienger, J.L. and Singer, L.
Eating behaviour and depression before and after antidepressant treatment: a prospective, naturalistic study (30) 193
Keller, M.B., see Pollack, M.H. (30) 273
Kessler, R.C., McGonagle, K.A., Nelson, C.B., Hughes, M., Swartz, M. and Blazer, D.G.
Sex and depression in the National Comorbidity Survey. II: Cohort effects (30) 15
Kish, S.J., see Young, L.T. (30) 89
Knoche, M., see Heidrich, A. (30) 93
Krasa, N.R. and Tolbert, H.A.
Adolescent bipolar disorder: a nine-year experience (30) 175
Kuch, K., see Başoğlu, M. (30) 123

Lanczik, M., see Heidrich, A. (30) 93
Leon, A., see Pollack, M.H. (30) 273
Leonard, B.E., see Song, C. (30) 283
Li, P.P., see Young, L.T. (30) 89
Lydiard, R.B., see Woodman, C.L. (30) 5

Magyar, I., see Volz, H.-P. (30) 209
Marchbanks, R., see Kay, G. (30) 185
Marks, I.M., see Başoğlu, M. (30) 123
McGonagle, K.A., see Kessler, R.C. (30) 15
McGuffin, P., see Kay, G. (30) 185
Mihalko, D., see Woodman, C.L. (30) 5
Mitchell, P., see Parker, G. (30) 133
Möller, H.-J., see Volz, H.-P. (30) 209
Monahan, P., see Black, D.W. (30) 233
Montgomery, S., see Kay, G. (30) 185
Mulder, R.T., see Joyce, P.R. (30) 35
Murray, C.L., see Goodwin, G.M. (30) 117

Nelson, C.B., see Kessler, R.C. (30) 15
Nolen, W.A., see Hoencamp, E. (30) 219
Noshirvani, H., see Başoğlu, M. (30) 123
Noyes Jr., R., see Woodman, C.L. (30) 5

O'Carroll, R.E., see Scott, A.I.F. (30) 27
O'Sullivan, G., see Başoğlu, M. (30) 123
Otto, M.W., see Pollack, M.H. (30) 273

Parker, G., Hadzi-Pavlovic, D., Sengoz, A., Boyce, P., Mitchell, P., Wilhelm, K., Hickie, I. and Brodaty, H.
A brief self-report depression measure assessing mood state and social impairment (30) 133
Partonen, T.
Effects of morning light treatment on subjective sleepiness and mood in winter depression (30) 47
Partonen, T.
Effects of morning light treatment on subjective sleepiness and mood in winter depression (30) 99
Peindl, K., see Wisner, K.L. (30) 77
Pilowsky, I. and Katsikitis, M.
The classification of facial emotions: a computer-based taxonomic approach (30) 61
Pini, S., Goldstein, R.B., Wickramaratne, P.J. and Weissman, M.M.
Phenomenology of panic disorder and major depression in a family study (30) 257
Pollack, M.H., Otto, M.W., Sachs, G.S., Leon, A., Shear, M.K., Deltito, J.A., Keller, M.B. and Rosenbaum, J.F.
Anxiety psychopathology predictive of outcome in patients with panic disorder and depression treated with imipramine, alprazolam and placebo (30) 273
Pradignac, A., see Kazes, M. (30) 193

Riddle, W., see Scott, A.I.F. (30) 27
Rosenbaum, J.F., see Pollack, M.H. (30) 273
Ross, M., see Scott, A.I.F. (30) 27

Sachs, G.S., see Pollack, M.H. (30) 273
Sargeant, M., see Kay, G. (30) 185
Schleyer, M., see Heidrich, A. (30) 93
Schlienger, J.L., see Kazes, M. (30) 193
Schwartz, J.E., see Fennig, S. (30) 147
Scott, A.I.F., Dougall, N., Ross, M., O'Carroll, R.E., Riddle, W., Ebmeier, K.P. and Goodwin, G.M.
Short-term effects of electroconvulsive treatment on the uptake of ^{99m}Tc-Exametazime into brain in major depression shown with single photon emission tomography (30) 27
Sengoz, A., see Parker, G. (30) 133
Shear, M.K., see Pollack, M.H. (30) 273
Sievers, G., see Woodman, C.L. (30) 5
Simon, Ch., see Kazes, M. (30) 193
Singer, L., see Kazes, M. (30) 193
Song, C., Dinan, T. and Leonard, B.E.
Changes in immunoglobulin, complement and acute phase protein levels in the depressed patients and normal controls (30) 283
Spingler, H., see Heidrich, A. (30) 93
Swartz, M., see Kessler, R.C. (30) 15
Swinson, R.P., see Başoğlu, M. (30) 123

Tancer, M.E., see Uhde, T.W. (30) 155
Tolbert, H.A., see Krasa, N.R. (30) 175
Tollefson, G.D., see Heiligenstein, J.H. (30) 163

Uhde, T.W., Tancer, M.E., Gelernter, C.S. and Vittone, B.J.
Normal urinary free cortisol and postdexamethasone cortisol in social phobia: comparison to normal volunteers (30) 155

Van Dyck, R., see Hoencamp, E. (30) 219
Vittone, B.J., see Uhde, T.W. (30) 155

Volz, H.-P., Faltus, F., Magyar, I. and Möller, H.-J.
Brofaromine in treatment-resistant depressed patients – a comparative trial versus tranylcypromine (30) 209

Warsh, J.J., see Young, L.T. (30) 89
Weissman, M.M., see Pini, S. (30) 257
Wesner, R.B., see Black, D.W. (30) 233
Whatley, S., see Kay, G. (30) 185
Wickramaratne, P.J., see Pini, S. (30) 257
Wilhelm, K., see Parker, G. (30) 133
Wisner, K.L., Peindl, K. and Hanusa, B.H.
Symptomatology of affective and psychotic llnesses related to childbearing (30) 77
Woodman, C.L., Noyes Jr., R., Ballenger, J.C., Lydiard, R.B., Sievers, G. and Mihalko, D.
Predictors of response to alprazolam and placebo in patients with panic disorder (30) 5

Young, L.T., Li, P.P., Kish, S.J. and Warsh, J.J.
Cerebral cortex β-adrenoceptor binding in bipolar affective disorder (30) 89

ELSEVIER

Journal of Affective Disorders 30 (1993) 296–299

journal of AFFECTIVE DISORDERS

Keyword Index

Acute-phase proteins
Unipolar depression; Immunoglobulin; Complement C3 and C4 (Song, C. (30) 283)

Adolescent
Bipolar; Affective; Mania (Krasa, N.R. (30) 175)

Adolescents
Depression; Children; Epidemiology; Stability (Charman, T. (30) 109)

β-Adrenergic receptor
Lymphoblast; Bipolar depression; Binding; Lithium (Kay, G. (30) 185)

β-Adrenoceptor
Cerebral cortex; Bipolar affective disorder (Young, L.T. (30) 89)

Affective
Bipolar; Adolescent; Mania (Krasa, N.R. (30) 175)

Affective disorder
Major depressive episode; Epidemiologic studies; Sex differences; Diagnostic category; Cohort effects (Kessler, R.C. (30) 15)

5-Hydroxytryptamine (Serotonin, 5-HT); Prolactin; Cortisol (Goodwin, G.M. (30) 117)

Long-term clinical trial; Maintenance management; Prophylactic treatment; Methodology (Grof, P. (30) 243)

Agoraphobia
Panic disorder; Alprazolam; Exposure; Predictor (Başoğlu, M. (30) 123)

Alprazolam
Panic disorder; Placebo response (Woodman, C.L. (30) 5)

Panic disorder; Agoraphobia; Exposure; Predictor (Başoğlu, M. (30) 123)

Panic disorder; Depression; Imipramine; Placebo (Pollack, M.H. (30) 273)

Antidepressant treatment
Depression; Weight gain; Food intake; Appetite (Kazes, M. (30) 193)

Anxiety
Urinary free cortisol; Dexamethasone; Social phobia; Stress; Shyness (Uhde, T.W. (30) 155)

Appetite
Depression; Weight gain; Antidepressant treatment; Food intake (Kazes, M. (30) 193)

Binding
Lymphoblast; β-Adrenergic receptor; Bipolar depression; Lithium (Kay, G. (30) 185)

Bipolar
Adolescent; Affective; Mania (Krasa, N.R. (30) 175)

Bipolar affective disorder
Cerebral cortex; β-Adrenoceptor (Young, L.T. (30) 89)

Bipolar depression
Lymphoblast; β-Adrenergic receptor; Binding; Lithium (Kay, G. (30) 185)

Blood analysis
Postpartum blues; Estradiol; Progesterone; Polactin (Heidrich, A. (30) 93)

Body Mass Index
Depression; Weight change (Carter, F.A. (30) 57)

Brofaromine
Tranylcypromine; Treatment resistant depression; Controlled clinical trial; Selective and reversible inhibitor of MAO (type A) (Volz, H.-P. (30) 209)

Refractory depression; Lithium addition (Hoencamp, E. (30) 219)

Cerebral cortex
β-Adrenoceptor; Bipolar affective disorder (Young, L.T. (30) 89)

Children
Depression; Adolescents; Epidemiology; Stability (Charman, T. (30) 109)

Cingulate cortex
Electroconvulsive therapy; Electroconvulsive shock; Unipolar depressive illness; SPECT; Exametazime (Scott, A.I.F. (30) 27)

Classification
Facial expression; Taxonomy (Pilowsky, I. (30) 61)

Cognitive disorganization
Psychiatric symptomatology; Postpartum depression; Postpartum psychosis (Wisner, K.L. (30) 77)

Cohort effects
Major depressive episode; Affective disorder; Epidemiologic studies; Sex differences; Diagnostic category (Kessler, R.C. (30) 15)

Comorbidity
Panic disorder; Major depression; Family history; Genetics; Phenomenology (Pini, S. (30) 257)

Complement C3 and C4
Unipolar depression; Immunoglobulin; Acute-phase proteins (Song, C. (30) 283)

Controlled clinical trial
Brofaromine; Tranylcypromine; Treatment resistant depression; Selective and reversible inhibitor of MAO (type A) (Volz, H.-P. (30) 209)

Cortisol
5-Hydroxytryptamine (Serotonin, 5-HT); Prolactin; Affective disorder (Goodwin, G.M. (30) 117)

Depressed mood measure
Depression; Social impairment; Depression subtyping (Parker, G. (30) 133)

Depression
Body Mass Index; Weight change (Carter, F.A. (30) 57)

Adolescents; Children; Epidemiology; Stability (Charman, T. (30) 109)

Depressed mood measure; Social impairment; Depression subtyping (Parker, G. (30) 133)

Melancholia; Reduced rapid eye movement latency; Response predictor; Fluoxetine (Heiligenstein, J.H. (30) 163)

Weight gain; Antidepressant treatment; Food intake; Appetite (Kazes, M. (30) 193)

Panic disorder; Alprazolam; Imipramine; Placebo (Pollack, M.H. (30) 273)

Depression subtyping
Depression; Depressed mood measure; Social impairment (Parker, G. (30) 133)

Dexamethasone
Anxiety; Urinary free cortisol; Social phobia; Stress; Shyness (Uhde, T.W. (30) 155)

Diagnostic category
Major depressive episode; Affective disorder; Epidemiologic studies; Sex differences; Cohort effects (Kessler, R.C. (30) 15)

Electroconvulsive shock
Electroconvulsive therapy; Unipolar depressive illness; SPECT; Exametazime; Cingulate cortex (Scott, A.I.F. (30) 27)

Electroconvulsive therapy
Electroconvulsive shock; Unipolar depressive illness; SPECT; Exametazime; Cingulate cortex (Scott, A.I.F. (30) 27)

Epidemiologic studies
Major depressive episode; Affective disorder; Sex differences; Diagnostic category; Cohort effects (Kessler, R.C. (30) 15)

Epidemiology
Depression; Adolescents; Children; Stability (Charman, T. (30) 109)

Estradiol
Postpartum blues; Blood analysis; Progesterone; Polactin (Heidrich, A. (30) 93)

Exametazime
Electroconvulsive therapy; Electroconvulsive shock; Unipolar depressive illness; SPECT; Cingulate cortex (Scott, A.I.F. (30) 27)

Exposure
Panic disorder; Agoraphobia; Alprazolam; Predictor (Başoğlu, M. (30) 123)

Facial expression
Classification; Taxonomy (Pilowsky, I. (30) 61)

Family history
Panic disorder; Major depression; Genetics; Phenomenology; Comorbidity (Pini, S. (30) 257)

Female : male ratio
Major depression; One-year prevalence (Fennig, S. (30) 147)

Fluoxetine
Melancholia; Depression; Reduced rapid eye movement latency; Response predictor (Heiligenstein, J.H. (30) 163)

Food intake
Depression; Weight gain; Antidepressant treatment; Appetite (Kazes, M. (30) 193)

Genetics
Panic disorder; Major depression; Family history; Phenomenology; Comorbidity (Pini, S. (30) 257)

5-Hydroxytryptamine (Serotonin, 5-HT)
Prolactin; Cortisol; Affective disorder (Goodwin, G.M. (30) 117)

Imipramine
Panic disorder; Depression; Alprazolam; Placebo (Pollack, M.H. (30) 273)

Immunoglobulin
Unipolar depression; Complement C3 and C4; Acute-phase proteins (Song, C. (30) 283)

Lithium
Lymphoblast; β-Adrenergic receptor; Bipolar depression; Binding (Kay, G. (30) 185)

Lithium addition
Refractory depression; Brofaromine (Hoencamp, E. (30) 219)

Long-term clinical trial
Affective disorder; Maintenance management; Prophylactic treatment; Methodology (Grof, P. (30) 243)

Lymphoblast
β-Adrenergic receptor; Bipolar depression; Binding; Lithium (Kay, G. (30) 185)

Maintenance management
Affective disorder; Long-term clinical trial; Prophylactic treatment; Methodology (Grof, P. (30) 243)

Major depression
One-year prevalence; Female : male ratio (Fennig, S. (30) 147)

Panic disorder; Family history; Genetics; Phenomenology; Comorbidity (Pini, S. (30) 257)

Major depressive episode
Affective disorder; Epidemiologic studies; Sex differences; Diagnostic category; Cohort effects (Kessler, R.C. (30) 15)

Mania
Bipolar; Adolescent; Affective (Krasa, N.R. (30) 175)

Melancholia
Depression; Reduced rapid eye movement latency; Response predictor; Fluoxetine (Heiligenstein, J.H. (30) 163)

Methodology
Affective disorder; Long-term clinical trial; Maintenance management; Prophylactic treatment (Grof, P. (30) 243)

One-year prevalence
Major depression; Female : male ratio (Fennig, S. (30) 147)

Panic disorder
Alprazolam; Placebo response (Woodman, C.L. (30) 5)

Agoraphobia; Alprazolam; Exposure; Predictor (Başoğlu, M. (30) 123)

Short-term treatment response (Black, D.W. (30) 233)

Major depression; Family history; Genetics; Phenomenology; Comorbidity (Pini, S. (30) 257)

Depression; Alprazolam; Imipramine; Placebo (Pollack, M.H. (30) 273)

Phenomenology
Panic disorder; Major depression; Family history; Genetics; Comorbidity (Pini, S. (30) 257)

Phototherapy
Seasonal affective disorder; Sleepiness (Partonen, T. (30) 47)

Seasonal affective disorder; Sleepiness (Partonen, T. (30) 99)

Placebo
Panic disorder; Depression; Alprazolam; Imipramine (Pollack, M.H. (30) 273)

Placebo response
Panic disorder; Alprazolam (Woodman, C.L. (30) 5)

Polactin
Postpartum blues; Blood analysis; Estradiol; Progesterone (Heidrich, A. (30) 93)

Postpartum blues
Blood analysis; Estradiol; Progesterone; Polactin (Heidrich, A. (30) 93)

Postpartum depression
Psychiatric symptomatology; Postpartum psychosis; Cognitive disorganization (Wisner, K.L. (30) 77)

Postpartum psychosis
Psychiatric symptomatology; Postpartum depression; Cognitive disorganization (Wisner, K.L. (30) 77)

Predictor
Panic disorder; Agoraphobia; Alprazolam; Exposure (Başoğlu, M. (30) 123)

Progesterone
Postpartum blues; Blood analysis; Estradiol; Polactin (Heidrich, A. (30) 93)

Prolactin
5-Hydroxytryptamine (Serotonin, 5-HT); Cortisol; Affective disorder (Goodwin, G.M. (30) 117)

Prophylactic treatment
Affective disorder; Long-term clinical trial; Maintenance management; Methodology (Grof, P. (30) 243)

Psychiatric symptomatology
Postpartum depression; Postpartum psychosis; Cognitive disorganization (Wisner, K.L. (30) 77)

Reduced rapid eye movement latency
Melancholia; Depression; Response predictor; Fluoxetine (Heiligenstein, J.H. (30) 163)

Refractory depression
Brofaromine; Lithium addition (Hoencamp, E. (30) 219)

Response predictor
Melancholia; Depression; Reduced rapid eye movement latency; Fluoxetine (Heiligenstein, J.H. (30) 163)

Seasonal affective disorder
Sleepiness; Phototherapy (Partonen, T. (30) 47)

Sleepiness; Phototherapy (Partonen, T. (30) 99)

Selective and reversible inhibitor of MAO (type A)
Brofaromine; Tranylcypromine; Treatment resistant depression; Controlled clinical trial (Volz, H.-P. (30) 209)

Sex differences
Major depressive episode; Affective disorder; Epidemiologic studies; Diagnostic category; Cohort effects (Kessler, R.C. (30) 15)

Short-term treatment response
Panic disorder (Black, D.W. (30) 233)

Shyness
Anxiety; Urinary free cortisol; Dexamethasone; Social phobia; Stress (Uhde, T.W. (30) 155)

Sleepiness
Seasonal affective disorder; Phototherapy (Partonen, T. (30) 47)

Seasonal affective disorder; Phototherapy (Partonen, T. (30) 99)

Social impairment
Depression; Depressed mood measure; Depression subtyping (Parker, G. (30) 133)

Social phobia
Anxiety; Urinary free cortisol; Dexamethasone; Stress; Shyness (Uhde, T.W. (30) 155)

SPECT
Electroconvulsive therapy; Electroconvulsive shock; Unipolar depressive illness; Exametazime; Cingulate cortex (Scott, A.I.F. (30) 27)

Stability
Depression; Adolescents; Children; Epidemiology (Charman, T. (30) 109)

Stress
Anxiety; Urinary free cortisol; Dexamethasone; Social phobia; Shyness (Uhde, T.W. (30) 155)

Taxonomy
Facial expression; Classification (Pilowsky, I. (30) 61)

Tranylcypromine
Brofaromine; Treatment resistant depression; Controlled clinical trial; Selective and reversible inhibitor of MAO (type A) (Volz, H.-P. (30) 209)

Treatment resistant depression
Brofaromine; Tranylcypromine; Controlled clinical trial; Selective and reversible inhibitor of MAO (type A) (Volz, H.-P. (30) 209)

Unipolar depression
Immunoglobulin; Complement C3 and C4; Acute-phase proteins (Song, C. (30) 283)

Unipolar depressive illness
Electroconvulsive therapy; Electroconvulsive shock; SPECT; Exametazime; Cingulate cortex (Scott, A.I.F. (30) 27)

Urinary free cortisol
Anxiety; Dexamethasone; Social phobia; Stress; Shyness (Uhde, T.W. (30) 155)

Weight change
Depression; Body Mass Index (Carter, F.A. (30) 57)

Weight gain
Depression; Antidepressant treatment; Food intake; Appetite (Kazes, M. (30) 193)